

- At least one battery cable shall be removed from the batteries used to start the vehicle engine, and the disconnected battery cable shall then be taped. Batteries required to demonstrate auxiliary equipment shall be permitted to be kept in service.
- Auxiliary batteries not connected to engine starting system may be left connected.
- Electric and hybrid vehicles shall have their operating batteries disconnected whenever possible.
- External chargers or batteries are recommended for demonstration purposes.
- No battery charging is permitted inside the building.
- Combustible/flammable materials must not be stored beneath display vehicles.
- Fueling or defueling of vehicles is prohibited. Outdoor defueling requires a permit and must follow CCFD guidelines. Contact your CSM for more information.
- Vehicles shall not be moved during show hours.
- 36 inches of clear access or aisles must be maintained around the vehicle.
- Vehicles must be a minimum of 20 feet from exit of door or exit pathway.
- Vehicles placed in lobbies and meeting rooms must have approval of the CSM.
- Visqueen must be used under vehicles on display in lobbies and meeting rooms.

Electrical Vehicles (EV)

The following are requirements that each exhibitor must follow to ensure the protection of life and property. If you have any questions or request exemptions, please contact your Convention Service Manager.

Electric Vehicles Batteries

- All electric vehicle batteries must be charged in the range of no less than 20% and no higher than 50% while indoors.
- The main battery (high voltage battery pack) must be disconnected while the vehicle is indoors when possible.
- All aftermarket or DIY electric vehicles must disconnect their high voltage battery and 12 Volt battery.

Charging

- Indoor electric vehicle charging is NOT allowed.
- All electric vehicle high voltage batteries must be charged outside in a designated area.
- No unattended battery charging.
- Charging location requirements:
 - Outdoors at least 30 feet from the building.
 - Area must be at least 10 feet from combustible materials, such as freight.
 - There must be a clear path to the charging area in case of emergency.

Exhibition Booth

- All electric vehicles must have at least 10 feet of distance between other electric vehicles.
- Electric vehicles are not allowed inside meeting rooms.
- Electric vehicles are not allowed on the second or third floor of any building.
- Electric vehicles are allowed to be exhibited in first-floor lobbies and atriums.

Note: All non-commercially produced electric vehicles will be approved to be exhibited in lobbies and atriums on a case-by-case basis.

The [Electric Vehicle Display form](#) must be completed and submitted to boothplans@lvcca.com for each electric vehicle exhibited.

WEAPONS

- A personal or concealed weapon of any type is not permitted anywhere on the campus of the LVCC.
- Nevada Revised Statute 202.3673 prohibits concealed weapons of any type on facility property(ies).

SUMMARY OF CHANGES

Added new section LVCC Sanitary Sewer and Storm Drain Discharge Policy